

BULK STORAGE SOLUTIONS

SMARTER THAN YOUR AVERAGE SILO



BUILT SMART, BUILT TO LAST.



CONTACT US

P 1800 502 267 E sales@enmach.com.au

STANDARD SILOS Dry Goods

SIZE

- 1800mm - 3400mm diameter
- 4.2m³ - 60m³ capacity
- 3 tonne - 46 tonne nominal capacity

FEATURES

- Impervious polyethylene silo bin
- Fully weather sealed
- Suitable for a range of products
 - fertiliser, grain, feed, seed
- Hi-flow 45 degree cone
- Expandable system
- Heavy duty option available
 - suit heavy S.G products
- Blow tube delivery option
- 10 year warranty



PART NO.	CUBIC CAPACITY	NOMINAL TONNAGE (WHEAT 820kg/m ³)	DIAMETER	OVERALL HEIGHT	AUGER LENGTH	OUTLET HEIGHT	RRP PRICE (INC. GST)
PMS-4.2	4.2m ³	3.5 tonne	1800mm	4200mm	5.8m / 20'	1200mm	
PMS-5.45	5.45m ³	4.5 tonne	1800mm	4600mm	6.8m / 22'	1200mm	
PMS-7.35	7.35m ³	6 tonne	1800mm	4300mm	7.2m / 24'	650mm	
PMS-9.25	9.25m ³	7.5 tonne	1800mm	5100mm	8.5m / 28'	650mm	
PMS-11.15	11.15m ³	9 tonne	1800mm	5900mm	9.8m / 32'	650mm	
PMS-13.05	13.05m ³	10.5 tonne	1800mm	6600mm	11m / 36'	650mm	
PMS-7.2	7.2m ³	6 tonne	2700mm	3200mm	5.3m / 17'	650mm	
PMS-13.11	13.11m ³	10 tonne	2700mm	4300mm	7.2m / 24'	650mm	
PMS-19.28	19.28m ³	15 tonne	2700mm	5500mm	9.2m / 30'	650mm	
PMS-25.45	25.45m ³	20 tonne	2700mm	6600mm	11m / 36'	650mm	
PMS-31.62	31.62m ³	25 tonne	2700mm	7700mm	12.8m / 42'	650mm	
PMS-35	35m ³	28 tonne	3400mm	6500mm	11m / 36'	650mm	
PMS-35HD	35m ³	50 tonne (1.5S.G)	3400mm	6500mm	11m / 36'	650mm	
PMS-60	60m ³	46 tonne	3400mm	9100mm	15m / 50'	650mm	

SILO ACCESSORIES

- Cone chute
- Air vents for pellet storage
- 4" Blow tube
- Aeration
- Auger boots
- Augers (fitted or mobile)
- Bagging chute

STANDARD SILOS Liquid Storage

SIZE

- 1800mm - 3400mm diameter
- 4.2m³ - 35m³ capacity
- 6 tonne - 50 tonne nominal capacity

FEATURES

- Impervious polyethylene silo bin
- Suitable for a range of products
 - Molasses, oil, water clarification
- Hi-flow full drainout 45 degree cone
- Loose flange or BSP fitting outlet options
- Vented lid
- Level indicator tube
- Bottom fill or BSP inlet options
- Air input point in stub outlet for aeration
- 5 year warranty



PART NO.	CUBIC CAPACITY/ LITRES	SWL TONNAGE (1.5 S.G)	DIAMETER	OVERALL HEIGHT	OUTLET HEIGHT	RRP PRICE (INC. GST)
PSL-4	4.2m ³ /4000L	6 tonne	1800mm	2800mm	500mm	
PSL-7	7.2m ³ /7000L	10 tonne	2700mm	3200mm	500mm	
PSL-10	10m ³ /10000L	15 tonne	2300mm	5583mm	1000mm	
PSL-16	16m ³ /16000L	24 tonne	2900mm	5500mm	650mm	
PSL-35	35m ³ /35000L	50 tonne	3400mm	6500mm	650mm	

RAISED FRAME SILOS Dry Goods

SIZE

- 2700mm - 3400mm diameter
- 7.2m³ - 35m³ capacity
- 6 tonne - 28 tonne nominal capacity

FEATURES

- Impervious polyethylene silo bin
- Suitable for a range of products
 - fertiliser, grain, feed, seed
- 3500mm clearance height and
3200mm clearance width - PSRS-35-IB
- 1800mm clearance
- Blow tube delivery option
- Manhole in base cone
- 10 year warranty



PART NO.	CUBIC CAPACITY	NOMINAL TONNAGE (WHEAT 820kg/m ³)	DIAMETER	OVERALL HEIGHT	AUGER LENGTH	OUTLET HEIGHT	RRP PRICE (INC. GST)
PSRS-7.2	7.2m ³	6 tonne	2700mm	4500mm	7.5m / 20'	1800mm	
PSRS-13.11	13.11m ³	10 tonne	2700mm	5600mm	9.3m / 31'	1800mm	
PSRS-19.28	19.28m ³	15 tonne	2700mm	6800mm	11.3m / 37'	1800mm	
PSRS-35	35m ³	28 tonne	3400mm	7700mm	12.8m / 42'	1800mm	
PSRS-35-IB (Truck access)	35m ³	28 tonne	3400mm	8900mm	15m / 50'	3500mm	

60 DEGREE CONE SILOS Dry Goods

SIZE

- 2350mm diameter / 2900mm diameter
- 10m³ - 57m³ capacity
- 10 tonne - 44 tonne nominal capacity

FEATURES

- Impervious polyethylene silo bin
- Easy access
- Suitable for a range of products
 - fertiliser, grain, feed, seed
- 800mm clearance
- Supa-flow 60 degree cone
- Reverse angle top cone
- Manhole in base cone
- Auger boot adaptable
- Bag chute option
- Blow tube delivery option
- 10 year warranty



PART NO.	CUBIC CAPACITY	NOMINAL TONNAGE (PELLATS 780kg/m ³)	DIAMETER	OVERALL HEIGHT	OUTLET HEIGHT	RRP PRICE (INC. GST)
PS60-10	10m ³	10 tonne	2350mm	5500mm	1000mm	
PS60-16	16m ³	12 tonne	2900mm	5500mm	1000mm	
PS60-27	27m ³	21 tonne	3400mm	6250mm	800mm	
PS60-37	37m ³	29 tonne	3400mm	7450mm	800mm	
PS60-47	47m ³	37 tonne	3400mm	8650mm	800mm	
PS60-57	57m ³	44 tonne	3400mm	9850mm	800mm	

MULTIFEEDER

SIZE

- Trough - 1800mm diameter x 550mm high
- Silo - 1800mm diameter x 2800mm high
- Weather sheild - 2600mm diameter
- 4000 litre liquid capacity

FEATURES

- Strong construction - Galvanised steel frame
- Can be configured for molasses feeding
- Adjustable slide gate on feed outlet
- Suitable for sheep, goats and cows
- Suitable for grain, feed or mineral supplements
- Optional skid frame for easy relocation of unit
- Weather shroud height 1250mm, can be custom made
- Unique cone base trough, feed flows to outer edge of trough ensuring no stale feed left in trough
- Round feeder design fits more animals than long feeder



PART NO.	CUBIC CAPACITY	NOMINAL TONNAGE (PELLATS 780kg/m ³)	DIAMETER	OVERALL HEIGHT	OUTLET HEIGHT	RRP PRICE (INC. GST)
PMF	4.2m ³	3.5 tonne	2600mm	2800mm	500mm	
PMFSF	Skid Frame	N/A	N/A	N/A	N/A	